

## REGULATED ELECTRICAL EQUIPMENT AND THEIR APPLICABLE STANDARDS

**(Last Updated: 2022.1.21)**

**RPC** means the Registration of Product Certification scheme for the regulated commodities in Taiwan.

**BI** means the Batch Inspection scheme for the regulated commodities in Taiwan.

**TABI** means the Type-Approved Batch Inspection scheme for the regulated commodities in Taiwan.

**DoC** means the Declaration of Conformity scheme for the regulated commodities in Taiwan.

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
1	Electric blankets (inspection scope: rated voltage not exceeding 250V, exclusive of those for animal use or medical devices specified by the Pharmaceutical Affairs Act) <sup>1</sup>	CNS 13783-1 (2013); CNS 60335-1 (2014) and CNS 60335-2-81 (2015) or CNS 60335-2-17 (2015) or CNS 60335-2-23 (2015); CNS 15663 (2013), Section 5 "Marking of presence"  Module II and VII under RPC Scheme or TABI Scheme	6301.10.00.00.2
2	Electro-thermic warmers for personal use (inspection scope: rated voltage not exceeding 250V, exclusive of those medical devices specified by the Pharmaceutical Affairs Act) <sup>1</sup>	CNS 13783-1 (2013); CNS 60335-1 (2014) and CNS 60335-2-81 (2015) or CNS 60335-2-17 (2015) or CNS 60335-2-23 (2015); CNS 15663 (2013), Section 5 "Marking of presence"  Module II and VII under RPC Scheme or TABI Scheme	6307.90.90.90.1F 8516.29.90.90.0B 8516.79.00.00.7V 9404.30.00.00.8A 9404.90.90.11.3A 9404.90.90.19.5A 9404.90.90.90.7A
3	Electric mattresses (inspection scope: rated voltage not exceeding 250V, exclusive of those for animal use or medical devices specified by the Pharmaceutical Affairs Act) <sup>1</sup>	CNS 13783-1 (2013); CNS 60335-1 (2014) and CNS 60335-2-81 (2015) or CNS 60335-2-17 (2015) or CNS 60335-2-23 (2015); CNS 15663 (2013), Section 5 "Marking of presence"  Module II and VII under RPC Scheme or TABI Scheme	9404.21.00.00.9A 9404.29.00.10.9A 9404.29.00.90.2A 9404.90.10.00.3A 9404.90.20.00.1A

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
4	Fans (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 500W(if without the electro-thermal devices), including those interconnectable multiple-fan system using with a controller, exclusive of those incorporated in other appliances) <sup>1</sup> (from 1 January 2023: 2)	CNS 13783-1 (2013) CNS 60335-1 (2014) CNS 60335-2-80 (2015) CNS 15663 (2013), Section 5 “Marking of presence” <b>For the product with the secondary lithium cells/batteries:(enters into force on 1 January 2023)</b> <b>-Cells (include the cells in the batteries):</b> <b>CNS 15364 (2013)</b> <b>-Batteries: CNS 62133-2 (2018)</b> <b>Sections 7.3.8.1 “vibration” and 7.3.8.2 “mechanical shock”</b>  Module II and III under RPC Scheme or TABI Scheme	8414.51.00.00.2A  8414.59.10.00.2  8414.59.90.00.5A
5	Hand dryers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS13783-1 (2013) CNS60335-1 (2014) CNS 60335-2-23 (2015) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8414.59.90.00.5C  8516.33.00.00.2
6	Ventilators/Exhaust hoods (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS13783-1 (2013) CNS60335-1 (2014) CNS 60335-2-31 (2015) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8414.60.00.00.1

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
7	Electric refrigerators and freezers (inspection scope: rated voltage not exceeding 250V and rated storage volume 700L) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-24 (2016) CNS 2062 (2000) Section 5.2“Cooling Performance”, Section 5.3 “Cooling Rate”, Section 5.10 “Energy efficiency” and Section 7“Marking” CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8418.10.12.00.4  8418.10.13.00.3  8418.21.20.00.1  8418.21.90.00.6A  8418.29.99.00.9
8	Electric absorption-type refrigerators (inspection scope: rated voltage not exceeding 250V and rated storage volume not exceeding 700L) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-24 (2016) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8418.29.20.00.3

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
9	Upright freezers (inspection scope: rated voltage not exceeding 250V and rated storage volume not exceeding 400L) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-24 (2016) CNS 2062 (2000) Section 5.2“Cooling Performance”, Section 5.3 “Cooling Rate”, Section 5.10 “Energy efficiency” and Section 7“Marking” CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8418.40.90.00.3
10	Refrigerating cooler box (inspection scope: rated voltage not exceeding 250V and rated storage volume not exceeding 100L) <sup>1</sup>	CNS 13783-1 (2013) CNS 60335-1 (2014) CNS 60335-2-24 (2016) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8418.21.90.00.6B  8418.50.90.00.0  8418.69.90.00.9C
11	Electric coffee machines/makers (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-15 (2014) or CNS 60335-2-14 (2015) (if equipped with grinding function); CNS 13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8419.81.00.00.1  8516.71.00.00.5C

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
12	Cloth spin whizzer (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-4 (2015) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8421.12.00.00.1
13	Electric air purifiers (inspection scope: only those using with a filter net, electrostatic precipitator, negative ionizer, ozone generator, ultra-violet light or photo-catalyst as purifying methods and rated voltage not exceeding 250V, exclusive of those mounted in ducts or using air exchanging system with outdoor air convection or medical devices specified by the Pharmaceutical Affairs Act) <sup>1</sup>	CNS 13783-1 (2013) CNS 60335-1 (2014) CNS 60335-2-65 (2015) CNS 15663 (2013), Section 5 “Marking of presence” <b>For the products that under the scope of “Requirements on Minimum Energy Performance Standard and Energy Efficiency Rating Labelling and Inspection for Air Cleaners”:(enters into force on 1 January 2023)</b> <b>CNS 16098: 2019, where the measured efficiency and standby power shall comply with the Table of “MEPS for Air Cleaners” stated in “Requirements on Minimum Energy Performance Standard and Energy Efficiency Rating Labelling and Inspection for Air Cleaners”.</b>  Module II and III under RPC Scheme or TABI Scheme	8421.39.10.00.8 8543.70.30.00.7 <b>8543.70.99.90.6G</b>

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
14	Household dish washers (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-5 (2015) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8422.11.00.00.1  8422.19.00.00.3
15	Washing machines (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-7 (2014) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8450.11.10.00.4  8450.11.20.00.2 8450.11.30.00.0 8450.12.10.00.3 8450.12.20.00.1 8450.12.30.00.9 8450.19.10.00.6 8450.19.20.00.4 8450.19.30.00.2 8450.20.00.00.5
16	Clothes dryers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-11 (2014) or CNS 60335-2-43 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8451.21.10.00.1 8451.21.20.00.9 8451.21.30.00.7 8451.29.00.00.5

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
17	Cooling fans (inspection scope: rated voltage not exceeding single-phase 250V AC and rated power consumption not exceeding 500W(if without electro-thermal devices), including those not intended for normal household use and with electro-thermal devices) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-80 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8479.60.00.00.3  8479.89.10.00.8A  8509.80.90.00.4E
18	Dehumidifiers (inspection scope: only those with compressors, rated voltage not exceeding 250V and rated power consumption not exceeding 1000W) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-40 (2015) CNS 12492 (2010) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8479.89.10.00.8B  8509.80.90.00.4D
19	Vacuum cleaners & Water-suction cleaners (inspection scope: rated voltage not exceeding 250V, exclusive of those for animal use) <small><sup>1</sup>(from 1 January 2023: 2)</small>	CNS 60335-1 (2014) CNS 60335-2-2 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  <b>For the product with the secondary lithium cells/batteries:(enters into force on 1 January 2023)</b> <b>-Cells (include the cells in the batteries):</b> <b>CNS 15364 (2013)</b> <b>-Batteries: CNS 62133-2 (2018)</b> <b>Sections 7.3.8.1 “vibration” and 7.3.8.2 “mechanical shock”</b>  Module II and III under RPC Scheme or TABI Scheme	8508.11.00.00.8  8508.19.00.00.0  8508.60.00.00.8  8509.80.90.00.4H

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
20	<p>Electric food grinders (inspection scope: vegetable slicers, bean slicers, cheese graters, vegetable graters, vegetable shredders and grain grinders(hopper capacity not exceeding 3L), rated voltage not exceeding 250V) <sup>1(from 1 January 2023: 2)</sup></p>	<p>CNS 60335-1 (2014)  CNS 60335-2-14 (2015)  CNS 13783-1 (2013)  CNS 15663 (2013), Section 5 “Marking of presence”  For the product with the secondary lithium cells/batteries:(enters into force on 1 January 2023)  -Cells (include the cells in the batteries):  CNS 15364 (2013)  -Batteries: CNS 62133-2 (2018)  Sections 7.3.8.1 “vibration” and 7.3.8.2 “mechanical shock”</p> <p>Module II and III under RPC Scheme or TABI Scheme</p>	<p>8509.40.00.00.2A  8509.80.90.00.4G  8516.79.00.00.7Y</p>
21	<p>Electric food mixers (inspection scope: food blenders, juicers, cream whippers, egg beaters, food mixers, food processors, and mincers, rated voltage not exceeding 250V) <sup>1(from 1 January 2023: 2)</sup></p>	<p>CNS 60335-1 (2014)  CNS 60335-2-14 (2015)  CNS 13783-1 (2013)  CNS 15663 (2013), Section 5 “Marking of presence”  For the product with the secondary lithium cells/batteries:(enters into force on 1 January 2023)  -Cells (include the cells in the batteries):  CNS 15364 (2013)  -Batteries: CNS 62133-2 (2018)  Sections 7.3.8.1 “vibration” and 7.3.8.2 “mechanical shock”</p> <p>Module II and III under RPC Scheme or TABI Scheme</p>	<p>8509.40.00.00.2B</p>

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
22	Electric juice extractors/ fruit squeezers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup> (from 1 January 2023: 2)	CNS 60335-1 (2014) CNS 60335-2-14 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  <b>For the product with the secondary lithium cells/batteries:(enters into force on 1 January 2023)</b> <b>-Cells (include the cells in the batteries): CNS 15364 (2013)</b> <b>-Batteries: CNS 62133-2 (2018)</b> <b>Sections 7.3.8.1 “vibration” and 7.3.8.2 “mechanical shock”</b>  Module II and III under RPC Scheme or TABI Scheme	8509.40.00.00.2C
23	Coffee mills/Coffee bean grinders (inspection scope: rated voltage not exceeding 250V and hopper capacity not exceeding 500g) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-14 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8509.40.00.00.2D
24	Electric ice shaving machine/ice flaker (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-14 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8509.40.00.00.2E  8509.80.90.00.4B

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
25	Electric floor buffers, polishers, and waxers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-10 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8509.80.30.00.7
26	Electric insect killers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-59 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8509.80.90.00.4A  8543.70.99.90.6A
27	Electric shavers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-8 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8510.10.00.00.5
28	Electric hair clippers (inspection scope: rated voltage not exceeding 250V, exclusive of those for animal use) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-8 (2015) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8510.20.00.00.3

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
29	Electric instantaneous water heaters (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	<p>CNS 60335-1 (2014) and CNS 60335-2-35 (2016); CNS13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme</p>	8516.10.00.00.9A
30	Electric storage tank boiling water heaters(inspection scope: rated voltage not exceeding 250V and capacity not exceeding 500L) <sup>1</sup>	<p>CNS 60335-1 (2014) and CNS 60335-2-15 (2014);  <b>CNS 12623 (2014) Section 10.7 “Capacity of inner tank test” &amp; 10.8 “Standardized standby loss of every 24 hours <math>E_{st,24}</math> test” , where the measured value (<math>E_{st,24}</math>) shall comply with that stated in “Requirements on MEPS for electric storage tank boiling water heaters”;</b></p> <p>CNS 13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme</p>	8516.10.00.00.9C

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
31	Electric portable immersion heaters (inspection scope: rated voltage not exceeding 250V and rated output power not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-74 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.10.00.00.9F
32	Electric room heaters (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-30 (2015) or CNS 60335-2-61 (2015); CNS 13783-1 (2013); CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.21.00.00.6 8516.29.90.10.7 8516.29.90.90.0A
33	Hair dryers (inspection scope: rated voltage not exceeding 250V, exclusive of those for animal use) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-23 (2015) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.31.00.00.4
34	Electric hot air brush (inspection scope: rated voltage not exceeding 250V, exclusive of those for animal use) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-23 (2015) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.32.00.00.3A

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
35	Electric hair setting curlers (inspection scope: rated voltage not exceeding 250V, exclusive of those for animal use) <sup>1(from 1 January 2023: 2)</sup>	CNS 60335-2-23 (2015) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence” <b>For the product with the secondary lithium cells/batteries:(enters into force on 1 January 2023)</b> <b>-Cells (include the cells in the batteries): CNS 15364 (2013)</b> <b>-Batteries: CNS 62133-2 (2018)</b> <b>Sections 7.3.8.1 “vibration” and 7.3.8.2 “mechanical shock”</b>  Module II and VII under RPC Scheme or TABI Scheme	8516.32.00.00.3B
36	Electric irons (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-3 (2014) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.40.00.00.3A 8516.40.00.00.3B 8516.79.00.00.7X

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
37	Microwave ovens (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	<p>CNS 60335-1 (2014)  CNS 60335-2-25 (2016)  CNS 13803 (2003)  CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>For products under the scope of “Requirements on Minimum Energy Performance Standard, Energy Efficiency Indication, and Inspection for Microwave Ovens”:(enters into force on 1 January 2023)</p> <p>CNS 60705: 2018 Section 6 “General conditions for measurements”, Section 8 “Determination of microwave power output” and Section 9 “Efficiency”, and CNS 62301: 2017. The measured efficiency and standby power shall comply with the Table of “MEPS for Microwave Ovens.”</p> <p>Module II and IV or  Module II and V or  Module II and VII under RPC Scheme or TABI Scheme</p>	<p>8516.50.00.00.0</p> <p>8516.60.90.00.9I</p>
38	Electric ovens (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	<p>CNS 60335-1 (2014) and  CNS 60335-2-6 (2015) or  CNS 60335-2-9 (2016)  CNS 13783-1 (2013)  CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and III under RPC Scheme or TABI Scheme</p>	<p>8516.60.10.00.6</p> <p><u>8516.60.90.00.9H</u></p>

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
39	Electric cookers (inspection scope: woks, slow cookers, electric bowls, deep fat fryers of volume not exceeding 5L, frying pans, cooking pans, and pressure cookers (rated cooking pressure not exceeding 140kPa and rated capacity not exceeding 10L), rated voltage not exceeding 250V) <sup>1</sup>	<p>CNS 60335-1 (2014) and CNS 60335-2-13 (2014) or CNS 60335-2-15 (2014);  CNS 2518 (2016) Section 6.5 “Heat efficiency test”&amp; 7 “Marking: (g) Heat efficiency (%) (if capacity no more than 10L and having inner pot to cook rice);  CNS 13783-1 (2013) or CNS 13803 (2003);  CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and III under RPC Scheme or TABI Scheme</p>	<p>8516.60.20.00.4  8516.60.90.00.9B</p>
40	Induction hotplates/ electromagnetic ovens (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	<p>CNS 60335-1 (2014) and CNS 60335-2-6 (2015) or CNS 60335-2-9 (2016);  CNS 13803 (2003);  CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and IV or  Module II and V or  Module II and VII under RPC Scheme or TABI Scheme</p>	8516.60.30.00.2
41	Indoor electric roasting ovens and grills (inspection scope: griddles, grills, breadmakers, roasted pots and roasters, rated voltage not exceeding 250V) <sup>1</sup>	<p>CNS 60335-1 (2014) and CNS 60335-2-6 (2015) or CNS 60335-2-9 (2016);  CNS 13783-1 (2013);  CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and III under RPC Scheme or TABI Scheme</p>	8516.60.90.00.9A

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
42	Electric steamers (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	<p>CNS 60335-1 (2014) and CNS 60335-2-15 (2014) or CNS 60335-2-6 (2015); CNS 13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and III under RPC Scheme or TABI Scheme</p>	<p>8516.60.90.00.9C</p> <p>8516.79.00.00.7P</p>
43	Electric pots/Kettles (inspection scope: rated voltage not exceeding 250V and rated water capacity not exceeding 10L) <sup>1</sup>	<p>CNS 60335-1 (2014) and CNS 60335-2-15 (2014) and Section 5.4 “Temperature of supplying water”, Section 5.7 “Standardized standby loss of every 24 hours for the appliance, Est,24”, and Section 11 “Markings” of CNS 12625 (2012) (if rated power consumption not exceeding 1.5kW); CNS 13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and III under RPC Scheme or TABI Scheme</p>	<p>8516.71.00.00.5A</p> <p>8516.10.00.00.9G</p>
44	Electric coffee pots (inspection scope: rated power not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	<p>CNS 60335-1 (2014) and CNS 60335-2-15 (2014); CNS 13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”</p> <p>Module II and III under RPC Scheme or TABI Scheme</p>	8516.71.00.00.5B

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
45	Toasters (inspection scope: rated voltage not exceeding 250V, exclusive of those transferring with rotary tracks) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-9 (2016) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.72.00.00.4
46	Electric hotplates (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-6 (2015) or CNS 60335-2-9 (2016); CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7A  8516.60.90.00.9D
47	Electric meat grills/roasters (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-9 (2016) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7B  8516.60.90.00.9E
48	Electric ranges (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 10kW) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-6 (2015) CNS 13783-1 (2013) or CNS 13803 (2003) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7F  8516.60.90.00.9F

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
49	Electric-thermal dish dryers (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-5 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7G  <u>8543.70.99.90.6G</u>
50	Electric two-sided cooking plates (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-9 (2016) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7H  8516.60.90.00.9G
51	Electro-thermal bedding and clothing dryers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-43 (2015) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7J  8543.70.99.90.6D
52	Electric fish tank heaters (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-55 (2015) CNS13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7K

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
53	Electric warming plates (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-12 (2014); CNS13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7L
54	Electro-thermal mosquito killers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7M
55	Electro-thermal aromas/scent diffusers (inspection scope: rated voltage not exceeding 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7N
56	Electro-thermal meal box heaters (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-6 (2015); CNS 13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7O

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
57	Electro-thermal pots (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-15 (2014); CNS 13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7Q
58	Food warming appliance (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-6 (2015) or CNS 60335-2-9 (2016); CNS 13783-1 (2013); CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7R
59	Electric warming pots/Thermos (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) and CNS 60335-2-15 (2014); CNS 13783-1 (2013) or CNS 13803 (2003); CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7S
60	Feeding bottle sterilizers (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-15 (2014) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7T  8543.70.99.90.6E

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
61	Egg boilers (inspection scope: rated voltage not exceeding 250V and rated power consumption not exceeding 1650W) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-15 (2014) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7U
62	Water filled foot massagers (inspection scope: rated voltage not exceeding 250V, including those air pressure type equipment, exclusive of those medical devices specified by the Pharmaceutical Affairs Act) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-32 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8516.79.00.00.7W 9019.10.19.00.8C
63	Electric massage appliances (inspection scope: rated voltage not exceeding 250V, including those air pressure type equipment, exclusive of those medical devices specified by the Pharmaceutical Affairs Act) <small><sup>1</sup>(from 1 January 2023: 2)</small>	CNS 60335-1 (2014) CNS 60335-2-32 (2015) CNS 13783-1 (2013) CNS 15663 (2013), Section 5 “Marking of presence” <b>For the product with the secondary lithium cells/batteries:(enters into force on 1 January 2023)</b> <b>-Cells (include the cells in the batteries):</b> <b>CNS 15364 (2013)</b> <b>-Batteries: CNS 62133-2 (2018)</b> <b>Sections 7.3.8.1 “vibration” and 7.3.8.2 “mechanical shock”</b>  Module II and III under RPC Scheme or TABI Scheme	9019.10.19.00.8B 9506.91.00.00.1B

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
64	Water dispenser (Including water dispenser only supplied by bottled and packaged water; inspection scope: only below 250V) <sup>1</sup>	CNS 60335-1 (2014) CNS 60335-2-15 (2014) CNS 13516 (2014), Section 6.3, 6.7, 6.9, 6.11 & the item (i) of section 7.1 and the value of Est, 24 must comply with the related regulations issued by the authority for the energy efficiency or CNS 15929 (2016) Section 6.3 "Water temperature", Section 6.8 "Storage tank capacity", Section 6.10 "The power consumption for preparation per 24 hours E24" CNS 13783-1 (2013) or CNS 13803 (2003) CNS 15663 (2013), Section 5 "Marking of presence"  Module II and III under RPC Scheme or TABI Scheme	8418.69.90.00.9B  8516.10.00.00.9E
65	Drinking water supplier (inspection scope: rated voltage not exceeding single-phase 250V AC, including those with/charged with a AC to DC adapter)	CNS 60335-1 (2014), CNS 60335-2-15 (2014), CNS 3910 (2016) Section 5 "Temperature of supplying water", Section 8.3 "Water storage capacity", Section 10 "The 24 hours energy consumption E24" and Section 13 "Marking", CNS 13783-1 (2013) or CNS 13803 (2003), CNS 15663 (2013) Section 5 "Marking of Presence"  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8418.69.90.00.9A  8516.10.00.00.9D

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
66	Electric Storage tank water heater (inspection scope: Does not include solar water heaters, rated voltage not exceeding single-phase 250V AC) <sup>1</sup>	CNS 60335-1 (2014); CNS 60335-2-21 (2015); CNS 13783-1 (2013); CNS 11010(2013)Section 8.11 “Capacity of inner tank”&8.14“Standardized standby loss of every 24 hours, Est,24”and the measured value of Est,24 must meet the requirements of Minimum Energy Performance Standard (MEPS); CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8516.10.00.00.9B
67	Air conditioners with hermetic type compressor (inspection scope: those using single-phase not exceeding 250V or three-phase not exceeding 600V, and with cooling capacity not exceeding 71kW) <sup>1</sup>	CNS 60335-1 (2014); CNS 60335-2-40 (2015) CNS 13783-1 (2013) or CNS 13438 (2006); CNS 3615(2013) Sections 5.7, 5.8, 5.9 and 5.10.The heating performance of Section 5.10 will not be implemented temporarily); CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8415.10.10.10.7 8415.10.10.20.5 8415.10.90.10.0 8415.10.90.20.8 8415.90.10.00.2 8415.81.00.00.5A 8415.82.00.00.4A

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
68	Plugs and socket-outlets for fixed wiring (Inspection scope: Voltage not exceeding 250 Vac with types and dimensions same or consistent with the national standard CNS 690)	CNS 690 (2016) CNS 15767-1 (2014) CNS 15663 (2013), Section 5 "Marking of presence"  Module II and III under RPC Scheme or TABI Scheme	8536.69.90.00.6A
69	Adapters (Inspection scope: Voltage not exceeding 250 Vac with types and dimensions same or consistent with the national standard CNS 690, excluding the type of plug-end conforms to figure 16 of CNS 690)	CNS 690 (2016) CNS 15767-1 (2014) CNS 15767-2-5 (2014) CNS 15663 (2013), Section 5 "Marking of presence"  Module II and III under RPC Scheme or TABI Scheme	8536.69.90.00.6C
70	Cord extension sets (Inspection scope: Voltage not exceeding 250 Vac)	CNS 690 (2016) CNS 15767-1 (2014) CNS 15767-2-7 (2016) CNS 15663 (2013), Section 5 "Marking of presence"  Module II and III under RPC Scheme or TABI Scheme	8544.42.90.90.9A
71	Non-detachable cord sets (Inspection scope: Voltage not exceeding 250 Vac)	CNS 690 (2016) CNS 15767-1 (2014) CNS 15663 (2013), Section 5 "Marking of presence"  Module II and III under RPC Scheme or TABI Scheme	8544.42.90.90.9B

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
72	Detachable cord sets (Inspection scope: Voltage not exceeding 250 Vac)	CNS 690 (2016) CNS 15872 (2016) CNS 6797 (1991) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8544.42.90.90.9C
73	Cord sets (Inspection scope: Voltage not exceeding 250 Vac)	CNS 690 (2016) CNS 60799 (2016) IEC 60320-1 (2001) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8544.42.90.90.9D
74	Cable reels (Inspection scope: Voltage not exceeding 250 Vac)	CNS 690 (2016) CNS 61242 (2016) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8544.42.90.90.9E
75	Electric bells (inspection scope: only not exceeding 300V)	CNS 8799 (1990) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	8531.80.10.00.3

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
76	No fuse breakers (inspection scope: with leakage protection function, only those rated voltage not exceeding 600V, rated current not exceeding 800A, and rupture capacity not exceeding 220V/50kA, 380V/30kA, 440V/25kA, or 600V/20kA)	CNS 14816-2 (2004) or IEC 60898-1 (2003) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8536.20.41.00.4  8536.20.49.00.6
77	Leakage circuit breakers (inspection scope: only those rated voltage not exceeding 600V, rated current not exceeding 225A. For those with no fuse switch function, rupture capacity not exceeding 220V/50kA, 380V/30kA, 440V/25kA, or 600V/20kA)	CNS5422 (2006) or IEC61008-1 (2002) or IEC61009-1 (2003) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8536.20.90.00.4
78	Household switch for fixed wiring(inspection scope: only not exceeding 300V)	CNS695 (1987) or IEC60669-1 (2000) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	8536.50.90.00.7A
79	Knife switch(inspection scope: only not exceeding 300V)	CNS1488 (1993) or CNS 696 (1984) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	8536.50.90.00.7B
80	Plugs and socket-outlets for appliances (inspection scope: only not exceeding 300V)	CNS 6797 (1991) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	8536.69.90.00.6B

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
81	Polyvinyl chloride (PVC) insulated power cables (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 3301 (1989) or CNS 6556 (1984) or IEC 60227-1 (1998) + IEC 60227-3 (1997) or IEC 60227-4 (1997) or IEC 60227-5 (2003) or IEC 60227-6 (2001) or IEC 60227-7 (2003) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1A
82	Polyvinyl chloride (PVC) insulated wires(inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 679 (1998) or IEC 60227-1 (1998) + IEC 60227-3 (1997) or IEC 60227-4 (1997) or IEC 60227-5 (2003) or IEC 60227-6 (2001) or IEC 60227-7 (2003) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1B

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
83	Rubber insulated wires (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 675 (2004) or IEC 60245-1 (2003) + IEC 60245-4 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1C
84	Rubber flexible cords (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 546 (2004) or IEC 60245-1 (2003) + IEC 60245-4 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1D
85	Polyvinyl chloride (PVC) flexible cords (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 3199 (1994) or IEC 60227-1 (1998) + IEC 60227-3 (1997) or IEC 60227-4 (1997) or IEC 60227-5 (2003) or IEC 60227-6 (2001) or IEC 60227-7 (2003) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1E

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
86	Rubber insulated lead wires (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 5747 (2004) or IEC 60245-1 (2003) + IEC 60245-4 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1F
87	Polyvinyl chloride (PVC) insulated wires for electric apparatus (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 6070 (1986) or IEC 60227-1 (1998) + IEC 60227-3 (1997) or IEC 60227-4 (1997) or IEC 60227-5 (2003) or IEC 60227-6 (2001) or IEC 60227-7 (2003) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1G
88	Grade Heat-resistant PVC insulated wires (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 8379 (1995) or IEC 60227-1 (1998) + IEC 60227-3 (1997) or IEC 60227-4 (1997) or IEC 60227-5 (2003) or IEC 60227-6 (2001) or IEC 60227-7 (2003) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1H

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
89	Polyvinyl chloride (PVC) insulated wires for outdoor use (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 8559 (1987) or IEC 60227-1 (1998) + IEC 60227-3 (1997) or IEC 60227-4 (1997) or IEC 60227-5 (2003) or IEC 60227-6 (2001) or IEC 60227-7 (2003)  CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1I
90	Polyvinyl chloride (PVC) insulated wires (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 10314 (1983) or IEC 60227-1 (1998) + IEC 60227-3 (1997) or IEC 60227-4 (1997) or IEC 60227-5 (2003) or IEC 60227-6 (2001) or IEC 60227-7 (2003)  CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1J

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
91	Polyvinyl chloride (PVC) insulated service wires (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 7781 (1987) or IEC 60227-1 (1998) + IEC 60227-3 (1997) or IEC 60227-4 (1997) or IEC 60227-5 (2003) or IEC 60227-6 (2001) or IEC 60227-7 (2003)  CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1K
92	Rubber insulated portable flexible cables (inspection scope: only those without connectors and rated voltage not exceeding 1000V but over 80V)	CNS 10741 (2004) or CNS 10599 (2004) or IEC 60245-1 (2003) + IEC 60245-4 (2004)  CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	8544.49.90.00.1L
93	Self-ballasted Fluorescent lamps	CNS 14125 (2014) excluding the sections “Low Temperature Starting Time”&“UV Radiation” CNS 14115 (2009) CNS 15663 (2013), Section 5 “Marking of presence”  Module II and III under RPC Scheme or TABI Scheme	8539.31.00.00.7B

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
94	Hot Cathode Fluorescent Lamp	CNS 691 (2019) CNS 15663 (2013), Section 5 "Marking of presence  Module II and III under RPC Scheme or TABI Scheme	8539.31.00.00.7A
95	AC Supplied Ballasts	CNS 13755 (2014) CNS 927 (2006) CNS 15663 (2013), Section 5 "Marking of presence  Module II and III under RPC Scheme or TABI Scheme	8504.10.00.00.3A  8504.10.00.00.3B
96	Self-ballasted LED lamps (Inspection scope: those are single phase, not exceeding 300V, exceeding 50V,including CRI above 95)	CNS 15436 (2012) CNS 15630 (2019) CNS 14115 (2016) CNS 15663 (2013), Section 5 "Marking of presence  Module II and III under RPC Scheme or TABI Scheme	8539.10.00.00.2  8539.49.20.00.3  8539.50.00.00.3
97	Fluorescent lamps, hot cathode (inspection scope: Compact fluorescent lamps)	CNS 14576 (2007) CNS 15663 (2013), Section 5 "Marking of presence  Module II and III under RPC Scheme or TABI Scheme	8539.31.00.00.7C

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
98	Electric lamps for general indoor lighting purposes (inspection scope: only including chandelier and other ceiling or wall lighting fittings, exclusive of those used for public places or on streets)	CNS 14335 (1999) IEC 60598-2-1 (1979) or IEC 60598-2-2 (1979) or IEC 60598-2-4 (1997) or IEC 60598-2-6 (1994) or IEC 60598-2-20 (1998) or IEC 60598-2-23 (1996) CNS 14115 (2004)CNS 15663 (2013), Section 5 “Marking of presence  Module II and III under RPC Scheme or TABI Scheme	9405.10.00.00.1  9405.40.90.00.6B
99	Electric table, desk, bedside or floor standing-lamps for general indoor lighting use (inspection scope: only not exceeding AC 300V)	CNS 14335 (1999) IEC 60598-2-4 (1997) or IEC 60598-2-6 (1994) CNS 14115 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	9405.20.00.00.9  9405.40.90.00.6E
100	Lighting sets used for Christmas trees (inspection scope: lighting chains only below 300V AC)	CNS 14335 (1999) IEC 60598-2-20 (1998)CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	9405.30.00.00.7 9405.40.90.00.6F

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
101	Buddhistic lights for table	CNS 14115 (2004) CNS 14335 (1999) IEC 60598-2-1 (1987) or IEC 60598-2-2 (1997) or IEC 60598-2-4 (1997) or IEC 60598-2-6 (1996) or IEC 60598-2-23 (2001) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	9405.40.90.00.6C
102	Aquarium Lighting Fixture	CNS 14335 (1999) IEC 60598-2-11 (2005) CNS 14115 (2004)CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	9405.40.90.00.6D
103	Single-phase AC motors (inspection scope: exclusive of those with attached devices, used as household appliances, or explosion-proof motors)	CNS1057 (2001) or CNS 3618 (1992) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme	8501.40.90.00.1
104	Low-voltage three-phase induction motors. (inspection scope: only the rated output power under 74.6kW (100HP) and exclusive of those with attached devices, used as household appliances, or explosion-proof motors)	<ol style="list-style-type: none"> <li>1. Low-voltage three-phase squirrel-cage induction motors(for general use): CNS 14400 (2012) and CNS 15663 (2013) Section 5 “Marking of Presence”</li> <li>2. Other low-voltage three-phase induction motors (for class-A insulation): CNS 1056 (2011)and CNS 15663 (2013) Section 5 “Marking of Presence”</li> </ol> Module II and III under RPC Scheme	8501.51.90.00.7 8501.52.90.00.6

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
105	Electronic toilet seats(heated seats or spray seats of toilets, inspection scope: rated voltage not exceeding 250V AC) <sup>1</sup>	CNS 60335-1 (2014) CNS60335-2-84(2017) CNS 13783-1 (2013) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme or TABI Scheme	6910.10.00.00.5B  6910.90.00.00.8B  8516.79.00.00.7C
106	Double-capped LED lamps(inspection scope: those for general purpose, including CRI above 95)	CNS 15438(2019) or CNS 15829(2015) or CNS 15983(2019) or CNS 62931(2019); CNS 16027(2019) ; CNS 14115(2016) ; CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and III under RPC Scheme or TABI Scheme	8539.50.00.00.3B
107	Fabric steamers (inspection scope: rated voltage not exceeding 250V AC) <sup>2</sup> (enters into force on 1 January 2023)	CNS 60335-1 (2014) CNS 60335-2-85 (2020) CNS 13783-1 (2013) or CNS 13803 (2003) or CNS 13803 (2018) CNS 15663 (2013), Section 5 “Marking of Presence”  For the product with the secondary lithium cells/batteries: -Cells (include the cells in the batteries): CNS 15364 (2013) -Batteries: CNS 62133-2 (2018) Sections 7.3.8.1 “vibration” and 7.3.8.2 “mechanical shock”	8516.40.00.00.3C  8516.79.00.00.7D

<sup>1</sup>The product powered by USB cord/port DC 5V and without an AC to DC adaptor, only powered by and with power supply for automotive cigar lighters, only powered by three-phase (air conditioner excepted) or only-batteries shall not be subject to mandatory inspection scope.

<sup>2</sup>This proposed measure does not apply to products with any of the following features:

- (1) Without an AC to DC adaptor, rated input by USB cord/port DC 5V and not powered by secondary cells/batteries,
- (2) Powered by automotive cigarette lighter plug only and not powered by secondary cells/batteries,
- (3) Powered by three-phase system only,
- (4) Powered by primary batteries only, or
- (5) Toys which are subject to legal inspection.

**REGULATED HANDHELD ELECTRIC TOOLS AND THEIR APPLICABLE STANDARDS**

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
1	Handheld electric drills (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment, or tools specified by the Occupational Safety and Health Act)	IEC 60745-1 (2002) + IEC 60745-2-1 (2003) or CNS 3264 (2001) CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.21.00.00.5A
2	Other handheld electric drills (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment, or tools specified by the Occupational Safety and Health Act)	CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.21.00.00.5B
3	Handheld electric impact and/or hammer drills (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment, or tools specified by the Occupational Safety and Health Act)	IEC 60745-1 (2002) + IEC 60745-2-1 (2003) or CNS 3264 (2001) CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.21.00.00.5C
4	Handheld electric circular saws (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment, or tools specified by the Occupational Safety and Health Act)	CNS 9811 (2001) CNS 9812 (1995) CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.22.00.00.4A

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code <b>【the first 6 digits are the same as HS Code】</b>
5	Handheld electric saws (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment ,or tools specified by the Occupational Safety and Health Act)	CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.22.00.00.4B
6	Handheld grinders (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment ,or tools specified by the Occupational Safety and Health Act)	CNS 3265 (2001) CNS 10609 (1995) CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.29.10.00.5A
7	Handheld disc grinders (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment ,or tools specified by the Occupational Safety and Health Act)	CNS 3266 (2001) CNS 10610 (1995) CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.29.10.00.5B
8	Hand-held electric die-grinders (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment ,or tools specified by the Occupational Safety and Health Act)	IEC 60745-1 (2002) IEC 60745-2-3 (1995) CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.29.10.00.5C

Item No.	Product Description	Applicable Standards and Conformity Assessment Procedures	Reference C.C.C. Code 【the first 6 digits are the same as HS Code】
9	Handheld electric scissors (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment ,or tools specified by the Occupational Safety and Health Act)	CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.29.20.00.3
10	Handheld electric / impact wrenches (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment ,or tools specified by the Occupational Safety and Health Act)	CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.29.30.00.1
11	Other handheld electric tools (inspection scope: only those use AC power, under 30kg, and not belong to the machinery, equipment ,or tools specified by the Occupational Safety and Health Act)	CNS 13783-1 (2004) CNS 15663 (2013) Section 5 “Marking of Presence”  Module II and IV or Module II and V or Module II and VII under RPC Scheme	8467.29.90.00.8 8509.80.90.00.4F