

وزارة الصناعة والتكنولوجيا المتقدمة
Ministry of Industry & Advanced Technology (MOIAT)

UNITED ARAB EMIRATES
MINISTRY OF INDUSTRY
& ADVANCED TECHNOLOGY



الإمارات العربية المتحدة
وزارة الصناعة
والتكنولوجيا المتقدمة

المواصفات القياسية الإماراتية

UAE.S 5010 -10 :20xx

بطاقة البيان - بطاقة بيان كفاءة الطاقة للأجهزة الكهربائية

الجزء العاشر: الأفران والمواقد المنزلية

Labeling – Energy Efficiency Label for Electrical Appliances

Part 10: Household ovens and Hobs

الإمارات العربية المتحدة

UNITED ARAB EMIRATES

بطاقة البيان - بطاقة بيان كفاءة الطاقة للأجهزة الكهربائية

الجزء العاشر: الأفران والمواقد المنزلية

Labeling – Energy Efficiency Label for Electrical Appliances

Part 10: Household ovens and Hobs

لائحة فنية	صفة الإصدار
------------	-------------

المواصفات القياسية لدولة الإمارات العربية المتحدة

Standards of United Arab Emirates

	تاريخ النشر بالجريدة الرسمية
	تاريخ بدء الإلزام

تقديم

وزارة الصناعة والتكنولوجيا المتقدمة هي الوزارة المسؤولة عن أنشطة التقييس بالدولة ومن مهامها إعداد المواصفات القياسية الإماراتية أو اللوائح الفنية بواسطة لجان فنية متخصصة.

وقد قامت الوزارة ضمن برنامج عمل اللجنة الفنية "برنامج كفاءة الطاقة للأفران والمواقد الكهربائية بتحديث المواصفة القياسية الإماراتية رقم-5010-10 لعام 202x "بطاقة بيان كفاءة الطاقة للأجهزة الكهربائية - الجزء العاشر: الأفران والمواقد المنزلية".

وقد اعتمدت هذه المواصفة كمواصفة قياسية إلزامية (لائحة فنية) وذلك بموجب قرار مجلس الوزراء رقم () بتاريخ / / هـ ، الموافق / / 202x م.

Foreword

Ministry of Industry & Advanced Technology (MOIAT) has national responsibility for standardization activities. One of MOIAT's main functions is to issue Emirates Standards /Technical regulations through specialized technical committees (TCs).

MOIAT, through the technical program committee "Technical committee for program of Energy Efficiency for ovens and hobs has Updated the Standard no. 5010-10 *Labeling – Energy efficiency label for electrical appliances - Part 9: Household Ovens and Hobs*. This standard has been approved as (Technical Regulation) by Decree of UAE Cabinet No. (), held on / / H, / /202x.

Table of Contents

1.	Scope	5
2.	Normative References	5
3.	Terms and Definitions	6
4.	General Requirements	8
5.	Energy Efficiency label:	12
6.	Certificate of Conformity:.....	12
7.	Product Information documents	12
8.	Procedure for market surveillance	14

Labeling – Energy Efficiency Label for Electrical Appliances

Part 10: Electrical Ovens and Hobs

1. Scope

This Regulation establishes requirements for the labelling and the provision of supplementary product information for domestic electric and gas ovens (including when incorporated into cookers) and it also covers domestic electric and/or gas.

This Regulation shall not apply to:

- ovens that use energy sources other than electricity or gas;
- ovens which offer a 'microwave heating' function;
- portable ovens;
- heat storage ovens;
- ovens which are heated with steam as a primary heating function;
- ovens designed for use only with gases of the 'third family' (propane and butane).
- small ovens;
- covered gas burners in hobs;
- outdoor cooking appliances;
- grills.

2. Normative References

The following normative standards apply for certification purposes. The latest version of the reference standard approved from MoIAT is applicable.

2.1 UAE.S EN 30-2-1 Domestic cooking appliances burning gas - Part 2-1: Rational use of energy – General

2.2 UAE.S EN 15181 Measuring method of the energy consumption of gas fired ovens

2.3 UAE.S IEC 60350-1 Household electric cooking appliances - Part 1 : Ranges, ovens, steam ovens and grills -
Methods for measuring performance

2.4 UAE.S IEC 60350-2 Household electric cooking appliances - Part 2 : hobs - Methods for measuring
performance

3. Terms and Definitions

For the purpose of this document, the following terms and definitions apply:

The following normative standards apply for certification purposes. In all cases, the most recent edition of the document is considered the preferred version

3.1 Oven

means an appliance or part of an appliance which incorporates one or more cavities using electricity and/or gas in which food is prepared by use of a conventional or fan-forced mode;

3.2 Cavity

means the enclosed compartment in which the temperature can be controlled for preparation of food;

3.3 Multi-cavity oven

means an oven with two or more cavities, each of which is heated separately;

3.4 Small oven

means an oven where all cavities have a width and depth of less than 250 mm or a height less than 120 mm;

3.5 Portable oven

means an oven with a product mass of less than 18 kilograms, provided it is not designed for built-in installations;

3.6 Microwave heating

means heating of food using electromagnetic energy;

3.7 Conventional mode'

means the operation mode of an oven only using natural convection for circulation of heated air inside the cavity of the oven;

3.8 Fan-forced mode

means a mode when a built-in fan circulates heated air inside the cavity of the oven;

3.9 Cycle

means the period of heating a standardized load in a cavity of an oven under defined conditions;

3.10 Cooker

means an appliance consisting of an oven and a hob using gas or electricity;

3.11 Operation mode

means the status of the oven or hob during use;

- 3.12** Heat source
means the main energy form for heating an oven or hob;
- 3.13** Electric hob
means an appliance or part of an appliance which incorporates one or more cooking zones and/or cooking areas including a control unit and which is heated by electricity;
- 3.14** Gas hob
means an appliance or part of an appliance which incorporates one or more cooking zones including a control unit and which is heated by gas burners of a minimum power of 1,16 kW;
- 3.15** Hob
means an 'electric hob', a 'gas hob' or a 'mixed hob';
- 3.16** Mixed hob
means an appliance with one or more electrically heated cooking zones or areas and one or more cooking zones heated by gas burners;
- 3.17** Cooking zone
means a part, with a diameter of at least 100 mm, of a hob where cookware is placed and heated with not more than one piece of cookware heated at a time; the area of the cooking zone may be visibly marked on the surface of the hob;
- 3.18** Cooking area
means a part of an area of an electric hob heated by an inducted magnetic field, where cookware is placed for heating without visible marking for the cookware and where more than one item of cookware can be used simultaneously;
- 3.19** Standby mode
means a condition where the equipment is connected to the mains power source, depends on energy input from the mains power source to work as intended and provides only reactivation function, or reactivation function and only an indication of enabled reactivation function, and/or information or status display, which may persist for an indefinite time;
- 3.20** Covered gas burners
means closed or sealed gas range burners covered with a heavy-duty glass or ceramic cover, which forms a smooth, seamless cooking surface;

3.21 Off mode

means a condition in which the equipment is connected to the mains power source but is not providing any function, or only provides an indication of off-mode condition, or only provides functionalities intended to ensure electromagnetic compatibility :

3.22 Reactivation function

means a function facilitating the activation of other modes, including the active mode, by remote switch including remote control, internal sensor, or timer to a condition providing additional functions, including the main function;

3.23 Information or status display

means a continuous function providing information or indicating the status of the equipment on a display, including clocks;

3.24 End-user

means a consumer buying or expected to buy a product;

3.25 equivalent model

means a model placed on the market with the same technical parameters as another model placed on the market under a different commercial code number by the same manufacturer or importer.

4. General Requirements

All ovens and hobs covered by this technical regulation must meet the following requirements:

4.1 National (local) requirements:

The following requirements must be met in the product covered by this standard:

Voltage: 220V - 240V

Frequency: 50Hz

4.2 Electrical safety requirements:

Electrical cooking appliances falling within the scope of this standard shall fulfill the requirements. Included in the UAE conformity assessment system (ECAS) for low voltage electrical appliances.

4.3 Energy efficiency classification:

4.3.1 Energy Efficiency for a domestic oven

4.3.1.1 Measurements and calculations:

The energy consumption of a cavity of a domestic oven shall be measured for one standardized cycle, in a conventional mode and in a fan-forced mode, if available, by heating a standardized load soaked with water.

It shall be verified that the temperature inside the oven cavity reaches the temperature setting of the thermostat and/or the oven control display within the duration of the test cycle.

The energy consumption per cycle corresponding to the best performing mode (conventional mode or fan-forced mode) shall be used in the following calculations.

For each cavity of a domestic oven, the Energy Efficiency Index (EEI cavity) shall be calculated according to the following formulas:

For domestic electric ovens:

$$EEI_{cavity} = \frac{EC_{electric\ cavity}}{SEC_{electric\ Cavity}} \times 100$$

$$SEC_{electric\ cavity} = 0,0042 \times V + 0,55 \text{ (in kWh)}$$

For domestic gas ovens:

$$EEI_{cavity} = \frac{EC_{gas\ cavity}}{SEC_{gas\ Cavity}} \times 100$$

$$SEC_{gas\ cavity} = 0,0042 \times V + 3,53 \text{ (in MJ)}$$

Where:

- EEI cavity = Energy Efficiency Index for each cavity of a domestic oven, in %, rounded to the first decimal place;
- SEC electric cavity = Standard Energy Consumption (electricity) required to heat a standardized load in a cavity of an electric heated domestic oven during a cycle, expressed in kWh, rounded to the second decimal place;
- SEC gas cavity = Standard Energy Consumption required to heat a standardized load in a cavity of a domestic gas-fired oven during a cycle, expressed in MJ, rounded to the second decimal place;
- V = Volume of the cavity of the domestic oven in liters (L), rounded to the nearest integer;

- EC electric cavity = Energy consumption required to heat a standardized load in a cavity of an electric heated domestic oven during a cycle, expressed in kWh, rounded to the second decimal place;
- EC gas cavity = Energy consumption required to heat a standardized load in a gas-fired cavity of a domestic oven during a cycle, expressed in MJ, rounded to the second decimal place.

4.3.1.2 Energy Efficiency Index (EEI) Values

The energy efficiency classes of domestic ovens shall be determined separately for each cavity in accordance with values as set out in Table 1.

Table (1): Energy efficiency index (EEI_{cavity})

Stars rating	Energy efficiency index (EEI_{cavity})
most efficient 5	$EEI \leq 45$
4	$45 < EEI \leq 62$
3	$62 < EEI \leq 82$
2	$82 < EEI \leq 107$
lowest efficient 1	$107 < EEI \leq 132$

4.3.2 Energy Efficiency for domestic hobs

4.3.2.1 Measurements and calculations

4.3.2.1.1 Domestic electric hobs

The energy consumption of a domestic electric hob (EC electric hob) is measured in Wh per kg of water heated in a normalized measurement (Wh/kg) considering all cookware pieces under standardized test conditions and rounded to the first decimal place according to the UAE.S IEC 60350-2.

4.3.2.1.2 Domestic gas hobs

The energy efficiency of gas burners in a domestic hob is calculated as follows:

$$EE_{\text{gas burner}} = \frac{E_{\text{theoretic}}}{E_{\text{gas burner}}} \times 100$$

Where:

- $EE_{\text{gas burner}}$ = energy efficiency of a gas burner in % and rounded to the first decimal place;
- $E_{\text{gas burner}}$ = energy content of the consumed gas for the prescribed heating in MJ and rounded to the first decimal;
- $E_{\text{theoretic}}$ = theoretic minimum required energy for the corresponding prescribed heating in MJ and rounded to the first decimal place.

The energy efficiency of the gas hob ($EE_{\text{gas hob}}$) is calculated as the average of the energy efficiency of the different gas burners ($EE_{\text{gas burner}}$) of the hob.

4.3.2.13 Domestic mixed electric/gas hobs

Domestic mixed electric and gas hobs are treated in the measurements as two separate appliances.

Electric cooking zones and cooking areas of the domestic mixed hobs shall follow the provisions of (4.3.2.1.1) and cooking zones heated by gas burners shall follow the provisions of (4.3.2.1.2).

4.3.2.2 Energy efficiency values

The domestic hobs shall have the energy consumption limits for electric hobs ($EC_{\text{electric hob}}$) and the energy efficiency limits for gas-fired hobs ($EE_{\text{gas hob}}$) as indicated in Table 2.

Table 2

Energy efficiency performance limits for domestic hobs

Stars rating	Energy efficiency for electric hob ($EC_{\text{electric hob}}$ in Wh/kg)	Energy efficiency for gas-fired hob ($EE_{\text{gas hob}}$ in %)
most efficient 5	$EC \leq 185$	$EE > 59$
4	$185 < EC \leq 190$	$57 < EE \leq 59$
3	$190 < EC \leq 195$	$55 < EE \leq 57$
2	$195 < EC \leq 200$	$53 < EE \leq 55$
lowest efficient 1	$200 < EC \leq 210$	$EE > 53$

5. Energy Efficiency label:

- The energy efficiency label, and the actual designs and dimensions thereof, shall be drawn up according to the procedures of the use of the mark in the Ministry.
- The Energy Efficiency Label should place on the display product without exceptions. The energy efficiency label for non-display products could place or supply with the user manual.
- For domestic mixed electric and gas hobs are treated in the measurements as two separate appliances and should have two Energy Efficiency Label.
- For domestic mixed oven and hobs appliances should have Energy Efficiency Label for hobs only.

6. Certificate of Conformity:

- The supplier must provide all the technical documents specified in clause (7).
- If the cooking appliance meets the technical requirements mentioned in this standard according to test reports, a Certificate of Conformity (CoC) is issued, in accordance with the UAE Conformity Assessment System (ECAS),
- Each product presented at the point of sale shall carries energy label according the requirements in clause (4) displayed on the front or top of the appliance, so as to be clearly visible and identifiable .

7. Product Information documents

The manufacturer or importers must provide technical documents of the product (domestic ovens and hobs), which must contain the following elements:

7.1 Information for domestic ovens

- Model identification
- Type of oven
- Mass of the appliance (M) by kg.
- Number of cavities
- Heat source per cavity (electricity or gas)
- Volume per cavity (V) by L.

- Energy consumption (electricity) required to heat a standardized load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) EC electric cavity by kWh/cycle (1 kWh/cycle = 3,6 MJ/cycle).
- Energy consumption required to heat a standardized load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) EC electric cavity by kWh/cycle .
- Energy consumption required to heat a standardized load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) EC gas cavity by MJ/cycle (kWh/cycle) .
- Energy consumption required to heat a standardized load in a gas-fired cavity of an oven during a cycle in fan- forced mode per cavity (gas final energy) EC gas cavity, by MJ/cycle (kWh/cycle).
- Energy Efficiency Index per cavity EEI cavity

7.2.1 Information for domestic hob

7.2.1.1 Information for domestic electric hobs

- Model identification
- Type of hob
- Number of cooking zones and/or areas
- Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plates)
- For circular cooking zones or area: diameter of useful surface area per electric heated cooking zone, rounded to the nearest 5 mm by cm.
- For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area, rounded to the nearest 5 mm by cm.
- Energy consumption per cooking zone or area calculated per kg EC electric cooking by Wh/kg.
- Energy consumption for the hob calculated per kg EC electric hob by Wh/kg.

7.2.2 Information for domestic gas-fired hobs

- Model identification
- Type of hob
- Number of gas burners
- Energy efficiency per gas burner EE gas burner
- Energy efficiency for the gas hob EE gas hob

7.2.3 Information for domestic mixed hobs

- Model identification
- Type of hob
- Number of electric cooking zones and/or areas
- Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plates) per electric cooking zone and/or area
- For circular electric cooking zones: diameter of useful surface area per electric heated cooking zone, rounded to the nearest 5 mm by cm.
- For non-circular electric cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area, rounded to the nearest 5 mm by cm
- Energy consumption per electric cooking zone or area calculated per kg EC electric cooking by Wh/kg
- Number of gas fired burners
- Energy efficiency per gas burner EE gas burner

8. Procedure for market surveillance

Market monitoring performance authorities should follow the following procedures when assessing conformity to the rating of cooking appliances in terms of energy efficiency:

- i. One model is tested. The model is considered to comply with the requirements if the values in the technical documents and the test results comply with the requirements mentioned in this standard. In addition, the testing of the relevant model parameters applying the tolerances listed in Table 3 below shows compliance for all of those parameters.

- ii. In the event that the results referred to in Clause (i) are not identical, then three additional units of the same model shall be selected for testing.
- iii. The model is considered to be in compliance with the requirements of this standard if the average result of the tests is for the specified model showing compliance with this standard.
- iv. In the event that the results referred to in clause (iii) are not achieved, then the model and all models similar to this model are considered not to comply with this standard.

The tolerances in the table, should be used only for product evaluation during market severance processes , not for conformity tests by companies.

Table 3
Verification tolerances

requirement	The evaluation
Mass of the domestic oven (M)	The determined value shall not exceed the declared value of M by more than 5 %.
Volume of the cavity of the domestic oven (V)	The determined value shall not be lower than the declared value of V by more than 5 %.
EC electric cavity, EC gas cavity	The determined value shall not exceed the declared value of EC electric cavity, EC gas cavity by more than 5 %.
EC electric hob	The determined value shall not exceed the declared value of EC electric hob by more than 5 %.
EE gas hob	The determined value shall not be lower than the declared value of EE gas hob by more than 5 %.

Annex 1

Products Explanation

Ovens	
<p>Gas oven</p> 	<p>Electrical Oven</p> 
Hobs	
<p>Gas Hob</p> 	<p>Electrical Hob</p> 
Cookers (Integrated oven with cooktop)	
	