



19 February 2025

(25-1158)

Page: 1/4

Committee on Technical Barriers to Trade

Original: English

NOTIFICATION

Addendum

The following communication, dated 18 February 2025, is being circulated at the request of the delegation of Indonesia.

Title: Draft Decree of Minister of Industry on Mandatory Indonesia National Standard for 5 (five) cable products i.e. : SNI 04-6629.2-2006, SNI 04-6629.3-2006, SNI 04-6629.4-2006, SNI 04-6629.5-2006, SNI 04-7183.1-2006, and SNI 04-7183.2-2006

Reason for Addendum:	
<input type="checkbox"/>	Comment period changed - date:
<input checked="" type="checkbox"/>	Notified measure adopted - date: 15 October 2024
<input checked="" type="checkbox"/>	Notified measure published - date: 18 October 2024
<input checked="" type="checkbox"/>	Notified measure enters into force - date: 18 April 2025
<input checked="" type="checkbox"/>	Text of final measure available from ¹ : https://jdih.kemenperin.go.id/dokumen/view?id=1541 https://members.wto.org/crnattachments/2025/TBT/IDN/final_measure/25_01479_00_x.pdf
<input type="checkbox"/>	Notified measure withdrawn or revoked - date: Relevant symbol if measure re-notified:
<input type="checkbox"/>	Content or scope of notified measure changed and text available from ¹ : New deadline for comments (if applicable):
<input type="checkbox"/>	Interpretive guidance issued and text available from ¹ :
<input type="checkbox"/>	Other:

Description: Regulation of Minister of Industry No. 84/M-IND/PER/10/2014 has been revoked and replaced by Regulation of Minister of Industry No. 56 Year 2024 regarding Mandatory Implementation of Indonesia National Standard for Cable.

The Regulation covers the issuance of SNI certificate using type 5 certification scheme, production process assessment and implementation of ISO 9001:2015, including product quality testing based on:

1. SNI 04-6629.3-2006 PVC insulated cables with rated voltage up to 450/750 V - Part 3: Non-sheathed cables for fixed wiring, for product with HS Code :

¹ This information can be provided by including a website address, a pdf attachment, or other information on where the text of the final/modified measure and/or interpretive guidance can be obtained.

- Ex. 8544.11.20;
- Ex. 8544.11.30;
- Ex. 8544.11.40;
- Ex. 8544.11.90;
- Ex. 8544.42.32;
- Ex. 8544.42.33;
- Ex. 8544.42.34;
- Ex. 8544.42.39;
- Ex. 8544.42.94;
- Ex. 8544.42.95;
- Ex. 8544.42.96;
- Ex. 8544.42.99;
- Ex. 8544.49.41;
- Ex. 8544.49.42; and
- Ex. 8544.49.49.

2. SNI 04-6629.4-2006 PVC insulated cables with rated voltage up to 450/750 V - Part 4: Sheathed cables for fixed wiring; for product with HS Code :

- Ex. 8544.11.20;
- Ex. 8544.11.30;
- Ex. 8544.11.40;
- Ex. 8544.11.90;
- Ex. 8544.42.32;
- Ex. 8544.42.33;
- Ex. 8544.42.34;
- Ex. 8544.42.39;
- Ex. 8544.42.94;
- Ex. 8544.42.95;
- Ex. 8544.42.96;
- Ex. 8544.42.99;
- Ex. 8544.49.32;
- Ex. 8544.49.33;
- Ex. 8544.49.39;
- Ex. 8544.49.41;
- Ex. 8544.49.42; and
- Ex. 8544.49.49.

3. SNI 04-6629.5-2006 PVC insulated cables with rated voltage up to 450/750 V - Part 5: Flexible cables ;

- Ex. 8544.11.20;
- Ex. 8544.11.30;
- Ex. 8544.11.40;
- Ex. 8544.11.90;

- Ex. 8544.42.32;
- Ex. 8544.42.33;
- Ex. 8544.42.34;
- Ex. 8544.42.39;
- Ex. 8544.42.94;
- Ex. 8544.42.95;
- Ex. 8544.42.96;
- Ex. 8544.42.99;
- Ex. 8544.49.32;
- Ex. 8544.49.33;
- Ex. 8544.49.39;
- Ex. 8544.49.41;
- Ex. 8544.49.42; and
- Ex. 8544.49.49;

4. SNI IEC 60502-1:2009 Power cables with extruded insulation and accessories for rated voltages from 1 kV ($U_m = 1.2$ kV) to 30 kV ($U_m = 36$ kV) - Part 1: Cables for rated voltages of 1 kV ($U_m = 1.2$ kV) and 3 kV ($U_m = 3.6$ kV) for product with HS Code :

- Ex. 8544.11.20;
- Ex. 8544.11.30;
- Ex. 8544.11.40;
- Ex. 8544.11.90;
- Ex. 8544.19.00;
- Ex. 8544.42.94;
- Ex. 8544.42.95;
- Ex. 8544.42.96;
- Ex. 8544.49.41;
- Ex. 8544.49.42;
- Ex. 8544.49.49;
- Ex. 8544.60.11;
- Ex. 8544.60.12;
- Ex. 8544.60.19;
- Ex. 8544.49.24;
- Ex. 8544.49.29;
- Ex. 8544.49.32;
- Ex. 8544.49.33; and
- Ex. 8544.49.39.

5. SNI IEC 60502-2:2009 Power cables with extruded insulation and fittings for rated voltages from 1 kV ($U_m = 1.2$ kV) up to 30 kV ($U_m = 36$ kV) - Part 2: Cables for rated voltages of 6 kV ($U_m = 7.2$ kV) up to 30 kV ($U_m = 36$ kV) for product with HS Code :

- Ex. 8544.11.20;
- Ex. 8544.11.30;
- Ex. 8544.11.40;

- Ex. 8544.11.90;
- Ex. 8544.19.00;
- Ex. 8544.60.11;
- Ex. 8544.60.12; and
- Ex. 8544.60.19.

Domestic or imported cable products produced before this regulation may still be distributed for a maximum of 1 (one) year from the enforcement date.
